



# Lightweight, durable, and economical SCBA for industrial applications.

The AirHawk SCBA provides respiratory protection solutions for many varied industrial and environmentally hazardous applications. Now offered with MSA's new Advantage 4000 Facepiece, combining new features and benefits not offered previously within a single respirator facepiece platform. The AirHawk SCBA comprises five major components: the facepiece, regulator, cylinder, carrier and harness assembly and an End-of-Service-Time-Indicator (EOSTI).

The Advantage 4000 Facepiece designed for the AirHawk SCBA is NIOSH-approved, versatile, comfortable, and affordable, adapting to many respiratory applications. Simply choose the adapter and components that best fit your needs and easily lock them into place. The Advantage 4000 Facepiece is also available in three

sizes, has nosecup standard, and is offered in either SoftFeel® Rubber or silicone material. Choose rubber or net-style head harness. Its many benefits include more simplified fit tests, cost-savings, and reduced inventory.

MSA's Push-To-Connect (P-T-C) Adapter is approved with the AirHawk SCBA and installs easily without special tools. This adapter provides both inhalation check valve and exhalation valves, preventing exhaled air from entering and contaminating the mask-mounted regulator.

Ultra Elite® Facepiece offers choice of three sizes, nosecups in two sizes, and either SoftFeel Rubber or silicone facepiece material. Other features include inhalation check valve, molded polycarbonate lens, mechanical speaking diaphragm, adjustable rubber straps, and optional hairnet-style head harness.



The AirHawk First-Stage Regulator, part of a two-stage regulator system, reduces the cylinder pressure to slightly above atmospheric pressure. The Firehawk™ Push-to-Connect MMR (mask mounted regulator), further adjusts the air flow to meet users' respiratory requirements. Through engineering advancements, MSA has kept both regulators simple for durability, reliability, ease of maintenance, and safety.

Carrier and Harness Assembly evenly distributes the SCBA's weight over hips for comfort and stability. Composite thermoset plastic backplate is reinforced with glass fibers and features spine strain components. Shoulder straps with easy-release friction buckles and a center-pull waist belt system are also design elements.

**Air Cylinders** are offered with both low and high pressure options: three low-pressure (2216 psig), 30-minute-rated cylinders: carbon-wrapped, fiberglass hoop-wound, or all-aluminum. High-pressure (4500 psig) carbon-wrapped cylinders are available in 30-, 45-, or 60-minute durations.

End-of-Service-Time-Indicator (EOSTI) incorporates a non-aspirating whistle mounted on the SCBA gauge-line and signals users that their cylinder air supply has been reduced to 20 to 25 percent of its rated air supply.

## **Options**

- Shoulder pads, lumbar pad, and chest strap
- Carrier harness of either Nylon or high-strength Kevlar material
- Low-and high-pressure versions
- Integrated PASS (Personal Alert Safety System) device
- Airline attachment for independent air source connection from up to 300 feet
- Rubber or hairnet style head harness

# **Applications**

- Wastewater
  - HazMat
    - HVAC
- Construction
  - Utility
  - Chemical
  - Nuclear
  - Oil and gas
- Paper and pulp

# AirHawk SCBA accessories

- Spectacle kits
  - Cover lens
- Confidence Plus Germicidal Cleaner
  - Wall storage cases
    - Welders' adapter
  - Electronic welding lens



# **Advantae 4000 Spectacle Kit**

For use by workers who must wear corrective lenses, the spectacle kit can be easily inserted into an Ultra Elite or Advantage 4000 Facepiece



| Part No. | Description                                      |
|----------|--|
| 804638   | Ultra Elite Spectacle Kit<br>(side wire support) |
| 493581   | Ultra Elite Spectacle Kit<br>(center support)    |
| 10029298 | Advantage 4000 Spectacle Kit                     |

#### **Lens Covers**



Lens covers, available in clear and smoke-tinited, provide a convenient way to add a layer of protection against scratches.

| Part No. | Description                                       |  |  |  |  |  |  |  |
|----------|---|--|--|--|--|--|--|--|
| 491500   | Ultra Elite clear cover lens<br>(25 per pack)     |  |  |  |  |  |  |  |
| 805456   | Ultra Elite smoke-tinted cover lens (25 per pack) |  |  |  |  |  |  |  |
| 10031542 | Advantage 4000 clear cover lens (25/pkg)          |  |  |  |  |  |  |  |
| 10031543 | Advantage 4000 smoke cover lens (25/pkg)          |  |  |  |  |  |  |  |

#### Welders' Adapter & Accessories




For eye protection in welding applications where respiratory protection is required, a welders' adapter can

be easily installed over an Ultra Elite or Advantage 4000 Facepiece lens.

| Part No. | Description  |  |  |  |  |  |  |
|----------|--|--|--|--|--|--|--|
| 806432   | Welders' Adapter, Ultra Elite<br>Facepiece                   |  |  |  |  |  |  |
| 10065326 | Welders' Adapter,<br>Single-Port Advantage 4000<br>Facepiece |  |  |  |  |  |  |
| 486328   | Welders' Hood, Kevlar  |  |  |  |  |  |  |
| 10068601 | Auto-Change Electronic Welding<br>Lens                       |  |  |  |  |  |  |
|          |  |  |  |  |  |  |  |

# **MSA Confidence Plus® Germicidal Cleaner**

Mix with warm water for a germicidal cleaner that is effective against various microorganisms including immunodeficiency virus Type 1 (HIV-1) (associated with AIDS). EPA approved for use



Part No. Description Confidence Plus 10009971 Germicidal Cleaner

### **Storage Cabinets**

Two-unit and single-unit wall mounting case. Chemical resistant ABS plastic case resists weathering, moisture, and corrosion to ensure SCBA stays in ready-to-use condition.

| Part No. | Description  |  |  |  |  |
|----------|--|--|--|--|--|
| 10053102 | Double case for SCBA's supplied with LP30, HP45, HP60, and low-profile cylinders       |  |  |  |  |
| 10053103 | Double case for SCBA's supplied with HP30 cylinders only                               |  |  |  |  |
| 10052744 | Single case for SCBA's supplied<br>with LP30, HP45, HP60, and<br>low-profile cylinders |  |  |  |  |
| 10052745 | Single case for SCBA's supplied with H30 cylinders only                                |  |  |  |  |







## **Ordering information**

| SCBA           | Harness                | Facepiece  | Cylinder                                     | Case      | Part Number |  |  |
|----------------|------------------------|--|--|-----------|-------------|--|--|
| AirHawk (2216) | Nylon with chest strap | Ultra Elite, medium, Hycar,<br>rubber head harness | Aluminum (30 minutes)                        | Hard Case | 10043201    |  |  |
| AirHawk (2216) | Nylon with chest strap | Ultra Elite, medium, Hycar,<br>rubber head harness | Aluminum (30 minutes)                        | No Case   | 10043202    |  |  |
| AirHawk (2216) | Nylon with chest strap | Ultra Elite, medium, Hycar,<br>rubber head harness | L-30 Stealth Carbon<br>Cylinder (30 minutes) | Hard Case | 10043204    |  |  |
| AirHawk (2216) | Nylon with chest strap | Ultra Elite, medium, Hycar, rubber head harness    | L-30 Stealth Carbon<br>Cylinder (30 minutes) | No Case   | 10043203    |  |  |

The Assemble-To-Order System allows MSA to offer many choices; users can choose from an extensive line of cylinder options, harness and carrier assemblies. There are hundreds of possible combinations, and MSA continues to develop even more options to allow workers to select just the right air mask for the job. Listed below are part numbers for the four most popular AirHawk SCBA assemblies. You can also use MSA's A-T-O System to customize your AirHawk SCBA to best fit your needs.

| sc | SCBA Type  |             | Carrier/<br>Harness  |           | Pad<br>Options  |                  | Cylinder  |   | MMR<br>Regulator<br>Type                           |                            | Air-Line<br>Option   |                           | Facepiece   |       | Nosecup                 |       | Head<br>Harness       |   | PASS  | Case  |                                      |
|----|--|-------------|--|-----------|---|------------------|---|---|--|----------------------------|--|---------------------------|---|-------|-------------------------|-------|-----------------------|---|---|-------|--------------------------------------|
| AH | AirHawk<br>MMR<br>(2216<br>psig)  AirHawk<br>MMR<br>(4500<br>psig) | A<br>B<br>C | Nylon<br>without<br>chest<br>strap<br>Nylon<br>with<br>chest<br>strap<br>Kevlar<br>without<br>chest<br>strap<br>Kevlar<br>with<br>chest<br>strap | 0 1 2 3 5 | None Shoulder Pad Lumbar Pad Shoulder Pad & Lumbar Pad Swiveling Lumbar Pad Swiveling Lumbar Pad & Shoulder Pad & Shoulder Pad & Shoulder Pad | 0<br>1<br>2<br>3 | None 3AL Aluminum Hoop- Wound 30' Stealth  None 30' Stealth 45' Stealth Low Profile 60' Stealth | G | Firehawk<br>PTC with<br>Swivel &<br>Solid<br>Cover | 0<br>1<br>2<br>3<br>4<br>5 | None Snap-Tite Aluminum Hansen SST Hansen Brass Foster Steel Snap-Tite Locking Aluminum Foster SST | A B C D E F G H J K L M N | None Ultra Elite, Hycar, Small Ultra Elite, Hycar, Medium Ultra Elite, Hycar, Large Ultra Elite, Silicone, Small Ultra Elite, Silicone, Medium Ultra Elite, Silicone, Large Advantage 4000, Hycar, Small Advantage 4000, Hycar, Medium Advantage 4000, Silicone, Small Advantage 4000, Silicone, Small Advantage 4000, Silicone, Medium Advantage 4000, Silicone, Medium Advantage 4000, Silicone, Medium Advantage 4000, Silicone, Large | 0 1 2 | None<br>Medium<br>Large | 0 1 2 | None<br>Rubber<br>Net | 5 | Gauge Whistle with ICM Tx with sensor Whistle with ICM Tx | 0 1 2 | None<br>Hard<br>Case<br>Soft<br>Case |

Note: This matrix must only be used for ordering complete Air Mask assemblies. An Air Mask type must be specified. This matrix cannot be used for ordering individual components (i.e. facepieces, cylinders, etc.) Please order components separately using their standard MSA part number.

Note: This Bulletin contains only a general description of the products shown. While uses and performance capabilities are described, under no circumstances shall the products be used by untrained or unqualified individuals and not until the product instructions including any warnings or cautions provided have been thoroughly read and understood. Only they contain the complete and detailed information concerning proper use and care of these products.

B **Part Number** 

**NIOSH Approved, Non-NFPA Compliant** 

Corporate Headquarters P.O. Box 426, Pittsburgh, PA 15230 USA 412-967-3000 www.MSAnet.com

**U.S. Customer Service Center** 1-800-MSA-2222 Phone 1-800-967-0398

MSA Canada

1-800-672-2222 Phone 1-800-967-0398 MSA Mexico

Phone (52) 55 2122 5770 (52) 55 5359 4330

MSA International Phone 412-967-3354 412-967-3451 FAX

